


Kelvin Hughes X-Band Navigation Radar

UPMAST 12kW RADAR TRANSCEIVER



The 12kW X-band upmast magnetron radar features improved target resolution and beam sharpening. The commercial shipping X-band series is designed to provide cost effective type approved radar in a lightweight package meeting IMO requirements.

Increased gain and a narrow beam width of the antenna offers greater range and bearing resolution for improved performance and target separation. The compact lightweight design is easy to install with a single waterproof connector and includes an integral health monitor.



FEATURES

IMPROVED PERFORMANCE AND TARGET SEPARATION

IMO TYPE APPROVAL (IEC 62388, MSC192/79)

BLANKING SECTOR

LOW NOISE TRANSCEIVER

UPMAST - INTEGRATED TRANSCEIVER AND TURNING MECHANISM

SINGLE CABLE

EASY TO INSTALL

SYSTEMS


CMX12-22 X-BAND 12kW RADAR SYSTEM WITH 22" DISPLAY

CMX12-26 X-BAND 12kW RADAR SYSTEM WITH 26" DISPLAY

SPECIFICATION

FREQUENCY BAND	X-BAND
FREQUENCY	9.4 GHz
PEAK POWER	12kW
MAGNETRON LIFE	10,000 HRS TYPICAL
SIGNAL PROCESSING	N/A
RECEIVER IF FREQUENCY	75MHz
MINIMUM RANGE	< 40m
ANTENNA LENGTH	1.9m
MASS	29kg

NETWORKED NAVIGATION SYSTEM



HENSOLDT UK
 Voltage, Mollison Avenue,
 Enfield
 EN3 7XQ, UK
 t: +44 (0)1992 805 200

HENSOLDT International Offices
Benelux:
 Rotterdam: t: +31 10 472 4050
Asia:
 Singapore: t: +65 6331 4268
Scandinavia:
 Copenhagen: t: +45 8611 2888

www.uk.hensoldt.net
cms.sales@hensoldt.net



We assume no responsibility for the correctness of the contents. Subject to change without notice.
 © HENSOLDT UK 2019. HENSOLDT, its logo and the product names are registered trademarks.
 All rights reserved. // UL 21102019 E